

## Are you considering the Flu Vaccine?

**9 Flu vaccines are available in the US** – Refer to the Vaccine Excipient and Media Summary list below. Each Flu Vaccine package insert states that the vaccine has NOT been tested on pregnant women, and that it is unknown if they will cause fetal harm, mutagenesis (affect human DNA) or carcinogenic harm (cancer-causing) yet doctors prescribe these **during pregnancy, and for lactating mothers**. If your baby is prone to a vaccine injury, you will not witness a change in your child's development after birth because the damage will have occurred in utero, and your child will be considered, by the medical community, as having been "born that way."

CDC's Prevention and Control of Seasonal Influenza with Vaccines Recommendations of the Advisory Committee on Immunization Practices – US 2016-17 Influenza Season: <http://www.cdc.gov/mmwr/volumes/65/rr/rr6505a1.htm>

**Not recommended for infants < 6 months old, yet OBGYNs recommend vaccination of pregnant women.**

### Summary

*This report updates the 2015–16 recommendations of the Advisory Committee on Immunization Practices (ACIP) regarding the use of seasonal influenza vaccines (Grohskopf LA, Sokolow LZ, Olsen SJ, Bresee JS, Broder KR, Karron RA. Prevention and control of influenza with vaccines: recommendations of the Advisory Committee on Immunization Practices, United States, 2015–16 influenza season. MMWR Morb Mortal Wkly Rep 2015;64:818–25). Routine annual influenza vaccination is recommended for all persons aged ≥6 months who do not have contraindications. For*

CDC web page for Pregnant Women & Influenza (Flu): <http://www.cdc.gov/flu/protect/vaccine/pregnant.htm>

**Pregnant Women & Influenza (Flu)**

Language: English

Flu is more likely to cause severe illness in pregnant women than in women who are not pregnant. Changes in the immune system, heart, and lungs during pregnancy make pregnant women (and women up to two weeks postpartum) more prone to severe illness from flu, as well as to hospitalizations and even death. Pregnant women with flu also have a greater chance for serious problems for their developing baby, including premature labor and delivery.

**The Flu Shot is the Best Protection Against Flu**

Getting a flu shot is the first and most important step in protecting against flu. The flu shot given during pregnancy has been shown to protect both the mother and her baby for several months after birth from flu. The nasal spray vaccine should not be given to women who are pregnant. Learn more about the [flu vaccine](#).

**The Flu Shot is Safe for Pregnant Women**

**Doesn't this contradict the previous referenced site (see arrow above)?**

Did you know that there is a private Health and Human Services (HHS) VAERS (Vaccine Adverse Event Reporting System) court that is paid for by a vaccine tax leveraged on each vaccine purchased?

- Link to adverse Flu vaccine reactions:
  - o <https://vaers.hhs.gov/resources/updates> → [Flu Update: October 6, 2016](#)
- VAERS H1N1 Results: <https://www.ncbi.nlm.nih.gov/pubmed/21861964>
- Showing 294 Reports were made, which included the following data: 20.1% of the women were hospitalized, 95 Spontaneous Abortions, 2 Maternal Deaths, 18 Stillbirths, etc.

The 2016 Flu vaccines contain **squalene**, known best for causing Gulf War Syndrome, with symptoms including fatigue, headaches, joint pain, indigestion, insomnia, dizziness, respiratory disorders, and memory problems.

<http://www.cdc.gov/flu/protect/vaccine/adjuvant.htm>

**Please spend as much time researching vaccines as you do for your baby's car seat.**

**Find all live links on this page at:** [www.avoiceforchoice.org](http://www.avoiceforchoice.org)

**Join Us:** [info@avoiceforchoice.org](mailto:info@avoiceforchoice.org)



## Are you considering the Flu Vaccine?

The CDC Publishes an Annual Vaccine Excipient & Media Summary, in the CDC's Pink Book Doctors use as a reference guide. The Flu Vaccines in this document are listed below:

<http://www.cdc.gov/VACCINES/pubs/pinkbook/downloads/appendices/B/excipient-table-2.pdf>

Vaccine	Contains	Source: Manufacturer's P.I. Dated
Influenza (Afluria)	beta-propiolactone, thimerosal (multi-dose vials only), monobasic sodium phosphate, dibasic sodium phosphate, monobasic potassium phosphate, potassium chloride, calcium chloride, sodium taurodeoxycholate, neomycin sulfate, polymyxin B, egg protein, sucrose	December 2013
Influenza (Agriflu)	egg proteins, formaldehyde, polysorbate 80, cetyltrimethylammonium bromide, neomycin sulfate, kanamycin, barium	2013
Influenza (Fluarix) Trivalent and Quadrivalent	octoxynol-10 (Triton X-100), $\alpha$ -tocopheryl hydrogen succinate, polysorbate 80 (Tween 80), hydrocortisone, gentamicin sulfate, ovalbumin, formaldehyde, sodium deoxycholate, sucrose, phosphate buffer	June 2014
Influenza (Flublok)	monobasic sodium phosphate, dibasic sodium phosphate, polysorbate 20, baculovirus and host cell proteins, baculovirus and cellular DNA, Triton X-100, lipids, vitamins, amino acids, mineral salts	March 2014
Influenza (Flucelvax)	Madin Darby Canine Kidney (MDCK) cell protein, MDCK cell DNA, polysorbate 80, cetyltrimethylammonium bromide, $\beta$ -propiolactone, phosphate buffer	March 2014
Influenza (Fluvirin)	nonylphenol ethoxylate, thimerosal (multidose vial-trace only in prefilled syringe), polymyxin, neomycin, beta-propiolactone, egg proteins, phosphate buffer	February 2014
Influenza (Fluaval) Trivalent and Quadrivalent	thimerosal, formaldehyde, sodium deoxycholate, egg proteins, phosphate buffer	February 2013
Influenza (Fluzone: Standard (Trivalent and Quadrivalent), High-Dose, & Intradermal)	formaldehyde, octylphenol ethoxylate (Triton X-100), gelatin (standard trivalent formulation only), thimerosal (multi-dose vial only), egg protein, phosphate buffers, sucrose	2014
Influenza (FluMist) Quadrivalent	ethylene diamine tetraacetic acid (EDTA), monosodium glutamate, hydrolyzed porcine gelatin, arginine, sucrose, dibasic potassium phosphate, monobasic potassium phosphate, gentamicin sulfate, egg protein	July 2013

**Please consider that with the Flu vaccine, these toxins are injected directly into the BLOOD, which has zero ability to detoxify, as is afforded by our digestive system.**

**IMPORTANT: The CDC Flu Vaccine VIS (Vaccine Information Sheet), that you are legally required to receive at the time of vaccination, states that people who are ill should not get the vaccine (p.1 Section 3).**

<https://www.cdc.gov/vaccines/hcp/vis/vis-statements/flu.pdf>

Look at each vaccine's toxins, here are some specifics to consider:

**Afluria** includes egg protein, which many children have severe allergies to, and thimerosal (derivative of MERCURY) which crosses the blood-brain barrier.

**Agriflu** includes egg protein, formaldehyde (Recall biology class? We used this to kill the frogs for dissection, but let's inject it into our blood stream, especially infants at: 6 months, 9 months, 12 months, 18 months, 19-23 months, 2-3 years, 4-6 years, and every year thereafter until 18 years. See the CDC Recommended Schedule here:

<https://www.cdc.gov/vaccines/schedules/downloads/child/0-18yrs-child-combined-schedule.pdf>

**Flucelvax** contains polysorbate 80, a known carcinogen (cancer-causing agent)

**FluMist** is *not recommended* on the HHS Document linked on the first page, and contains egg protein.

**4,250% Increase in Fetal Deaths Reported to VAERS AFTER Flu Shot Is Given to Pregnant Women:**

<https://vactruth.com/2012/11/23/flu-shot-spikes-fetal-death/>

**Please spend as much time researching vaccines as you do for your baby's car seat.**

Find all live links on this page at: [www.avoiceforchoice.org](http://www.avoiceforchoice.org)  
Join Us: [info@avoiceforchoice.org](mailto:info@avoiceforchoice.org)

